

Supplementary Table 1. Dry forest tree species planted by HTRIP in reforestation plots in Haiti in 2007 and 2008, including the numbers found in the 2010 census and an approximate survival rate.

		Surveyed in 2010	Approx. survival	Tree Use	Origin
<i>Senegalia scleroxyla</i>	"candelon," "bwa chandelle"	80	no data	Timber	Caribbean
<i>Albizia lebeck</i>	Siris tree, "tyatya"	162	0.95	Timber and Nitrogen (N.) Fixer	Asia, Australia
<i>Annona squamosa</i>	Sweet sop, "kachiman"	4	0.02	Fruit	Central America, Caribbean
<i>Azadirachta indica</i>	neem, "nim"	15	no data	Timber	India
<i>Senna siamea</i>	Kassod/Cassia Tree, "kasya"	961	no data	Timber and N. Fixer	Asia
<i>Catalpa longissima</i>	Haitian oak/ catalpa, "chen"	377	0.37	Timber	Caribbean
<i>Cedrela odorata</i>	Spanish cedar, "sed"	5,657	0.47	Timber	Central America, Caribbean
<i>Citrus ×aurantiifolia</i>	Lime, "sitwon"	558	0.18	Fruit	Asia
<i>Citrus ×aurantium</i>	sour orange, "zoranj"	145	no data	Fruit	Asia

		Surveyed in 2010	Approx. survival	Tree Use	Origin
<i>Colubrina arborescens</i>	Coffee colubrina, “kapab”	271	0.25	Timber	Neotropics
<i>Delonix regia</i>	Royal poinciana, “flambwayan”	2,971	0.81	N. Fixer	Madagascar
<i>Enterolobium cyclocarpum</i>	Monkeysoap, “bwa taniswouj”	44	0.50	Timber	Central and South America
<i>Eucalyptus camaldulensis</i>	River redgum, “ekiliptus”	288	0.03	Timber	Australia
<i>Gliricidia sepium</i>	Quickstick, “glerisidya, piyon”	69	0	Timber	Central America
<i>Haematoxylum campechianum</i>	Bloodwood, “campeche”	544	0.28	Timber	Neotropics
<i>Leucaena leucocephala</i>	White leadtree, “lesena”	567	0.95	Timber	Central America
<i>Lysiloma sabicu</i>	Horseflesh mahogany, “tavernon”	1,863	0.38	Timber and N. Fixer	Caribbean
<i>Mangifera indica</i>	Mango, “mango”	39	0	Fruit	South Asia
<i>Melicoccus bijugatus</i>	Spanish lime, “kenep”	10	0.06	Fruit	Neotropics
<i>Persea americana</i>	Avocado, “zaboka”	43	0.60	Fruit	Central America
<i>Samanea saman</i>	Raintree, “saman”	288	0.19	Timber and N. Fixer	South America

		Surveyed in 2010	Approx. survival	Tree Use	Origin
<i>Senna atomaria</i>	Flor de San Jose, "bwa kabrit"	119	0.95	Timber	Caribbean
<i>Simarouba glauca</i>	Paradise tree, "frenn"	3,643	0.95	Timber	Neotropics
<i>Swietenia mahagoni</i>	West Indian mahogany, "cajou peyi"	5,278	0.61	Timber	Central and South America