

Appendix

Table A1: Dependent variable means by treatment status and year^a

Variable	2005		2012	
	Treated (1)	Donor Pool (2)	Treated (3)	Donor Pool (4)
expenditure	5.81 (0.58)	5.71 (0.65)	6.99 (0.61)	6.80 (0.70)
capital	5.01 (0.76)	4.91 (0.89)	6.60 (0.72)	6.29 (0.88)
current	4.99 (0.52)	4.83 (0.57)	5.66 (0.53)	5.69 (0.61)
internet	0.33 (0.47)	0.31 (0.46)	0.75 (0.43)	0.76 (0.43)
business	14.80 (45.92)	28.58 (114.68)	18.44 (56.42)	33.73 (125.80)
construction	5.70 (19.43)	5.46 (23.77)	55.64 (222.76)	16.34 (62.77)
roads	0.77 (6.02)	1.93 (16.01)	3.81 (11.66)	4.64 (35.92)
sports	0.66 (0.81)	0.60 (0.82)	0.94 (0.92)	0.75 (0.84)
culture	0.59 (0.89)	0.74 (1.00)	0.69 (0.91)	0.81 (0.99)
health	0.40 (2.58)	0.28 (1.21)	0.46 (1.04)	0.50 (1.52)
water	0.27 (0.44)	0.23 (0.42)	0.50 (0.50)	0.42 (0.49)
cadastre	0.23 (0.42)	0.22 (0.40)	0.60 (0.49)	0.54 (0.50)
lights	3.65 (2.08)	4.11 (2.15)	7.47 (1.12)	7.27 (1.23)
<i>N</i>	246	1,246	246	1,246

^a Standard deviations for variable means are presented in parentheses.

Table A2: Sensitivity analysis for estimates of treatment effect^a

Variable	CEM-SS (1)	IPTW (2)	Endline (3)	Levels (4)
expenditure	0.11 (0.08)	0.10 (0.06)	0.11 (0.08)	0.12 (0.08)
capital	0.25** (0.11)	0.24 _{††} ** (0.08)	0.25** (0.11)	0.22** (0.10)
current	-0.19 _{††} ** (0.06)	-0.18 _{†††} ** (0.05)	-0.19 _{††} ** (0.06)	-0.09 (0.07)
internet	0.03 (0.08)	-0.03 (0.07)	0.04 (0.08)	0.08* (0.05)
business	1.39 (4.51)	3.92 (3.41)	-0.85 (3.88)	3.44* (1.89)
construction	39.93** (20.04)	52.27 _† ** (20.98)	26.71** (12.37)	3.72 _{††} ** (1.37)
roads	2.00* (1.06)	1.87** (0.93)	0.98 (2.65)	2.09 _{†††} ** (0.56)
sports	0.05 (0.10)	0.12 (0.09)	-0.01 (0.09)	0.15* (0.08)
culture	-0.01 (0.08)	0.03 (0.07)	0.06 (0.09)	-0.01 (0.07)
health	-0.22 (0.19)	-0.15 (0.17)	-0.24 (0.19)	0.04 (0.09)
water	0.03 (0.05)	0.03 (0.05)	0.01 (0.05)	0.08** (0.04)
cadastre	0.07 (0.06)	0.06 (0.05)	0.05 (0.05)	0.12** (0.06)
lights	0.02 (0.04)	0.07* (0.04)	0.00 (0.04)	0.02 (0.04)
<i>N</i>	1,095	1,492	1,095	1,095

^a Standard errors (in parentheses) are clustered at the province level. Unadjusted p-values < 0.01, 0.05, and 0.10 correspond to ***, **, and *, respectively. P-values adjusted for multiple-hypothesis testing < 0.01, 0.05, and 0.10 correspond to †††, ††, and †, respectively.

Figure A1: Sensitivity analysis for heterogeneity of impact results

